

MILK TEST REPORT

SAMPLE REFERENCE

SAMPLE DESCRIPTION	A2 COW MILK	PLACE OF SAMPLE	THORAIPAKKAM UNIT
DATE OF SAMPLE	08.06.2025	TEST RESULT DATE	08.06.2025
FARM CODE	TKM CM-12	REMARKS	GOOD

TEST RESULTS - BASIC PARAMETERS

S.NO	PARAMETER	TEST METHOD	EXPECTED RANGE	TEST RESULT
1	Acidity as Lactic Acid		< 0.126	0.117
2	MILK FAT		> 4.0	4.2
3	MILK SOLID NON FAT	FSSAI MANUAL (MILK & MILK	> 8.0	8.20
4	MILK PROTEIN	PRODUCTS)	> 3.2/100g	3.3
5	MILK LR		> 28	28
6	MILK COB		NEGATIVE	NEGATIVE
7	ODUR		PLEASANT	PLEASANT

TEST RESULTS- ADULTERATION PARAMETERS

S.NO	PARAMETER	TEST METHOD	LIMITS	RESULTS
1	DETERGENT		Absent	Absent
2	STARCH		Absent	Absent
3	CANE SUGAR		Absent	Absent
4	GLUCOSE-DEXTROSE		Absent	Absent
5	HYDROGEN PEROXIDE		Absent	Absent
6	UREA		Absent	Absent
7	FORMALDEHYDE	FSSAI MANUAL (MILK & MILK	Absent	Absent
8	SODIUM CHLORIDE	PRODUCTS)	Absent	Absent
9	NEUTRALIZERS		Absent	Absent
10	CELLULOSE		Absent	Absent
11	SACCHARIN		Absent	Absent
12	DULCIN		Absent	Absent
13	FOREIGN FAT		Absent	Absent
14	AMMONIUM SULPHATE		Absent	Absent
15	SUCROSE		Absent	Absent
16	SKIMMED MILK POWDER		Absent	Absent

DATE	08.06.2025
PLACE	Chennai

R.KAMALA KANNAN B.SC (QUALITY CONTROLLER)

VERIFIED BY

#361, Matha Koil Street, Okkiyam Thoraipakkam, Chennai - 600 097. +91 99766 11110 Sthefarmersvillage@mail.com () www.thefarmersvillage.com



MILK TEST REPORT

SAMPLE REFERENCE

SAMPLE DESCRIPTION	A2 BUFFALO MILK	PLACE OF SAMPLE	THORAIPAKKAM UNIT
DATE OF SAMPLE	08.06.2025	TEST RESULT DATE	08.06.2025
FARM CODE	TKM BM-02	REMARKS	GOOD

TEST RESULTS - BASIC PARAMETERS

S.NO	PARAMETER	TEST METHOD	EXPECTED RANGE	TEST RESULT
1	Acidity as Lactic Acid		< 0.126	0.108
2	MILK FAT		> 6.0	6.2
3	MILK SOLID NON FAT	FSSAI MANUAL (MILK & MILK	> 8.5	9.10
4	MILK PROTEIN	PRODUCTS)	> 3.2/100g	3.3
5	MILK LR		> 30	30
6	MILK COB		NEGATIVE	NEGATIVE
7	ODUR		PLEASANT	PLEASANT

TEST RESULTS- ADULTERATION PARAMETERS

S.NO	PARAMETER	TEST METHOD	LIMITS	RESULTS
1	DETERGENT		Absent	Absent
2	STARCH		Absent	Absent
3	CANE SUGAR		Absent	Absent
4	GLUCOSE-DEXTROSE		Absent	Absent
5	HYDROGEN PEROXIDE		Absent	Absent
6	UREA		Absent	Absent
7	FORMALDEHYDE	FSSAI MANUAL (MILK & MILK	Absent	Absent
8	SODIUM CHLORIDE	PRODUCTS)	Absent	Absent
9	NEUTRALIZERS		Absent	Absent
10	CELLULOSE		Absent	Absent
11	SACCHARIN		Absent	Absent
12	DULCIN		Absent	Absent
13	FOREIGN FAT		Absent	Absent
14	AMMONIUM SULPHATE		Absent	Absent
15	SUCROSE		Absent	Absent
16	SKIMMED MILK POWDER		Absent	Absent

DATE	08.06.2025
PLACE	Chennai

R.KAMALA KANNNAN B.SC (QUALITY CONTROLLER)

VERIFIED BY

#361, Matha Koil Street, Okkiyam Thoraipakkam, Chennai - 600 097. +91 99766 11110 Sthefarmersvillage@mail.com () www.thefarmersvillage.com